

# Environmental Product Declaration

Sole Armchairs



CPC Code | 3811  
Declaration Number | S-P-01280  
EPD Valid from | 22.06.2018  
EPD Expire on | 18.04.2021  
Revision Date | 29.07.2019  
Revision Version | 1.1  
Market Coverage | Worldwide

 EPD®  
TURKEY

ENVIRONMENTAL PRODUCT DECLARATIONS

 KOLEKSİYON

## In accordance with ISO14025 for Sole Armchairs



The visual of the product may not be compatible with the product information which is registered.

The environmental impacts of this product have been assessed from cradle to grave.  
Environmental Product Declaration has been verified by an independent third party.

For more information about this Environmental Product Declaration or its content,  
please contact [internationalsales@koleksiyon.com.tr](mailto:internationalsales@koleksiyon.com.tr)

# Information

The LCA for this EPD is conducted according to the guidelines of ISO 14040/44 and the requirements given in the Product Category Rules (PCR) document for Seats, (ver. 2.0, 2015 11 03) and the general program guidelines by The International EPD System in accordance with ISO 14025 standards.

The inventory for the LCA study is based on the 2017 production figures for Sole Armchairs manufactured by Koleksiyon Mobilya San. A.Ş. (Koleksiyon) in their production plants located in Tekirdağ, Turkey.

This LCA was modelled with SimaPro 9 LCA software using the impact factors and Ecoinvent database (ver. 3.5) for secondary data and Turkish Life Cycle Inventory Database - TLCID (ver.1.0) developed by Turkish Centre for Sustainable Production Research and Design - SÜRATAM for local data in Turkey.

EPD PROGRAMME	The International EPD® System <a href="http://www.environdec.com">www.environdec.com</a>
EPD OWNER	EPD Turkey, Istanbul - Turkey <a href="http://www.epdturkey.org">www.epdturkey.org</a>
DECLARED UNIT	KOLEKSİYON MOBİLYA SANAYİ A.S Istanbul - Turkey <a href="http://www.koleksiyon.com.tr">www.koleksiyon.com.tr</a> <a href="http://www.koleksiyoninternational.com">www.koleksiyoninternational.com</a>
EPD BASED ON PRODUCT CATEGORY RULES (PCR)	One unit of furniture
PCR REVIEW CONDUCTED BY	PCR 2009:02 Seats, ver. 2.0, 2015-11-03 The International EPD® System
INDEPENDENT VERIFICATION AND DATA, ACCORDING TO ISO 14025:2006	Technical Committee of the International EPD® System Review chair: Leo Breedveld <a href="http://www.environdec.com">www.environdec.com</a> <a href="mailto:info@environdec.com">info@environdec.com</a>
SYSTEM BOUNDARIES	<input type="checkbox"/> Internal <input type="checkbox"/> External <input checked="" type="checkbox"/> EPD® Process Certification
APPROVED AND VERIFIED BY	<input type="checkbox"/> Cradle to Gate <input type="checkbox"/> Cradle to Gate with Option <input checked="" type="checkbox"/> Cradle to Grave
LCA REPORT AND EPD PREPARED BY	Certiquality S.r.l. <a href="http://www.certiquality.com">www.certiquality.com</a>
	Metsims Sustainability Consulting <a href="http://www.metsims.com">www.metsims.com</a>

EPDs within the same product category but from different programmes may not be comparable.

# Company

Competitive in the global marketplace, Koleksiyon holds to global standards and has internalized the protection principles of natural resources, the environment and the provision of healthy and safe environments for all his employees, partners in all business processes.

The company continuously improves his processes with the integrated management system to ensure the fair balance between efficiency, productivity and safety.

Koleksiyon puts emphasis on internal waste management and facilitating a high level of recycling in all processes with a commitment to continuous improvement.

Using technology, environmentally friendly and recyclable materials when designing products and services, Koleksiyon always aims at protecting the environment as well as human safety. The brand is also willing to ensure that each employee truly knows the importance of his/her contribution towards the green and sustainable environment.

Koleksiyon has a recognized reputation for delivering design and service excellence both in its homeland of Turkey and around the world. The brand is known for its clean and understated intelligent design, for its quality of manufacture and for its insight into the needs and concerns of customers.

Based on its key guiding principles and forty years' experience Koleksiyon designs are based on a profound knowledge of culture, history and geography. Its solutions reclaim the past that we know with colors, sounds and shapes. At the same time, Koleksiyon product designs anticipate the future we do not yet know. The aim is always to pursue excellence and to hold true to certain values. Koleksiyon knows that there is always a line that runs from the past to the future, that as well as local cultures and ideals, there are eternal and universal values that we all share and that what is essential is understanding the art and craft as it is tied up in a particular time and place.

Koleksiyon is compliant to following international standards: ISO 14001 EMS, OHSAS 18001, ISO 9001 QMS, ISO 10002 QM-CS, ISO 50001 EnMS, ISO/IEC 27001 ISMS.

# Product Information

Designed by Studio Kairos, Sole is a rocking armchair whose name is given by the idea of being 'one and only'. The design supports this approach by providing a unique style that completes living environments where each individual feels well beloved. Sole's special mechanism allows for both turning and rocking motions. As a result, Sole's mechanism offers a dynamic feature while the design brings a warm touch into spaces. It is served as low and high back-rest options. Apart from rocker mechanism, Sole has also fixed and castor options.

## LIST OF MATERIALS FOR SOLE ARMCHAIR



MATERIALS		CONTENTS (kg)
Main Body	Steel	5.28
	PU	16.1
Auxiliary Materials	Paint	0.110
	Steel	10.4
Main or Auxiliary	Textile	4.39
	Synthetic Leather	0.010
	PU	3.11
Fittings	Steel	2.82
Packaging Materials	Corrugated Board	9.66
	PE	0.002

# System Boundary

## Upstream Process

Upstream processes include raw material extraction and production processes and manufacturing of auxiliary materials, chemicals and packaging materials.

## Core Process

Core processes include transport of materials to the manufacturer and operations for manufacturing.

Manufacturing includes sizing and painting of product parts and assembly. The end products are then packaged to be sold. Electric energy and natural gas are consumed during manufacturing.

## Downstream Processes

Downstream processes include transportation from manufacturer to consumer, product use and disposal of both product and packaging.


Distribution of final product to customer is assumed to be a default long distance transport of 1000 km by lorry defined by the PCR.

During use phase of the product, no energy or water is consumed. The product can be cleaned with a dry or damp cloth and do not require maintenance during its lifetime.

At the end of its life, it is expected from customers to dispose the product in accordance with the legal regulations of the country where they reside. The product is easy to disassemble and recycle. For the disposal scenario of the product European average recycling values were taken for steel, aluminium and plastic parts as 83%, 90% and 69.2% respectively. Other materials assumed to end up at landfill.

Packaging waste is assumed to end up at packaging recycling streams due to the relevant national law in Turkey in 2017, which requires manufacturers to have certain percentage of their packaging waste to be recovered.

## SYSTEM BOUNDARY OF THE LCA STUDY CONDUCTED



# Environmental Performance Related Information

FUNCTIONAL UNIT / DECLARED UNIT	The declared unit is the production of one unit of furniture with a minimum 15 years lifetime.
GOAL AND SCOPE	This EPD evaluates the environmental impacts of one unit of furniture from cradle to grave life cycle perspective.
SYSTEM BOUNDARY	The system boundary covers upstream, core and downstream processes within the life cycle.
ESTIMATES AND ASSUMPTIONS	<p>There are no additional product scenarios developed for this EPD.</p> <p>Distribution of final product to customer is assumed to be 1000 km by lorry.</p> <p>During use phase of the product, no energy or water consumption is assumed.</p> <p>At the end of its life, it was assumed that the metal parts of the product were recycled according to the European average recycling rates and the rest of the materials end up at landfill.</p> <p>Packaging waste for declared products are modelled based on the collection rates enforced by Packaging Waste Control Regulations of 27.12.2017 and No. 30283.</p>
CUT-OFF RULES	For this LCA study, no cut off criteria was applied.
BACKGROUND DATA	TLCID, ver 1.0, Turkey. Ecoinvent, ver. 3.5, Switzerland
DATA QUALITY	Raw materials, electricity, natural gas, water use and waste data collected from Koleksiyon. Localized data especially on energy and other relevant processes were taken from TLCID Database.
PERIOD UNDER REVIEW	All primary data collected from Koleksiyon plant is for the period year of 2017.
ALLOCATIONS	There are no co-products in the production of Sole Armchairs manufactured by Koleksiyon. Hence, there was no need for co-product allocation. Use of energy per unit of furniture is allocated based on the time spent in the manufacturing line from yearly energy consumption of each workshop. Koleksiyon sources raw materials and goods from different locations across Turkey and other parts of the world and by different means of transport (truck, ship and train). For this reason, transport was allocated according to tonnages.

All the waste resulting from the main production and related processes of Koleksiyon is managed in accordance with valid legal requirements.

The results of the LCA with the indicators as per EPD requirement are given in the following tables for upstream, core and downstream processes shown in the system boundary section.

Global warming potential (GWP) for time span of 100 years, acidification potential with time span of eternity and eutrophication potential with time span of eternity were calculated using CML-IA baseline (August 2016, ver. 4.7),

Formation potential of tropospheric ozone photochemical oxidants with time span of 5 days was calculated using ReCiPe 2008 Midpoint (H) (ver. 1.13),

Renewable and non-renewable energy consumption were calculated using Cumulative Energy Demand (November 2018, ver. 1.11),

Human toxicity (cancer and non-cancer) and ecotoxicity were calculated using USEtox 2 (recommended + interim), July 2016, ver. 1.00),

Land use as sum of agricultural land occupation, urban land occupation and natural land transformation was calculated using ReCiPe 2016 Endpoint (H) (ver. 1.03, September 2018)

Water scarcity potential was calculated using AWARE (ver. 1.02).

All resource use values are determined from life cycle inventory of products as renewable and non-renewable resources. The direct amount of water used by core processes reflects the net fresh water consumption during manufacturing for the declared product.

## ENVIRONMENTAL INDICATORS

RESOURCE USE						
Parameter	Unit	Upstream Processes	Core Processes	Downstream Processes	Total	
<b>NON-RENEWABLE RESOURCES</b>						
<b>Material</b>	Calcite	[kg]	14.7	0.325	0.172	15.2
	Bauxite	[kg]	1.01	0.070	0.036	1.12
	Dolomite	[kg]	0.802	0.006	0.005	0.813
	Gravel	[kg]	30.8	4.00	7.68	42.5
	Iron	[kg]	25.2	0.268	0.231	25.7
	Sodium Chloride	[kg]	22.8	0.039	0.006	22.9
<b>Energy</b>	Hard Coal	[kg]	66.5	2.50	0.548	69.5
	Lignite	[kg]	23.4	2.15	0.161	25.7
	Oil, crude	[kg]	24.5	38.0	3.34	65.8
	Natural gas	[m <sup>3</sup> ]	32.9	3.08	0.276	36.2
	Uranium	[MJ]	963x10 <sup>-6</sup>	24.9x10 <sup>-6</sup>	6.22x10 <sup>-6</sup>	994x10 <sup>-6</sup>
<b>RENEWABLE RESOURCES</b>						
<b>Material</b>	Wood	[m <sup>3</sup> ]	0.012	181x10 <sup>-6</sup>	63.6x10 <sup>-6</sup>	0.012
	Geothermal	[MJ]	4.92	1.45	0.034	6.40
<b>Energy</b>	Wind power	[MJ]	35.2	3.03	0.239	38.5
	Hydropower	[MJ]	173	11.5	1.28	186
	Biomass	[MJ]	480	2.01	0.748	483
	Solar	[MJ]	5.30	0.357	0.021	5.68
<b>WATER USE</b>						
<b>Total amount of water</b>	[m <sup>3</sup> ]	16.8	0.170	0.029	17.0	
<b>Direct amount of water used by the core process</b>	[m <sup>3</sup> ]	-	0.000	-	0.000	

WASTE CATEGORIES					
Parameter	Unit	Upstream Processes	Core Processes	Downstream Processes	Total
<b>HWD</b>	[kg]	-	0.051	0.000	0.051
<b>NHWD</b>	[kg]	-	0.595	61.0	61.6
<b>RWD</b>	[kg]	-	0.000	0.000	0.000

**Legend** HWD: Hazardous Waste Disposed, NHWD: Non-Hazardous Waste Disposed, RWD: Radioactive Waste Disposed




## OUTPUT FLOWS

Parameter	Unit	Upstream Processes	Core Processes	Downstream Processes	Total
Components for reuse	[kg]	0	0	0	0
Material for recycling	[kg]	0	0	0	0
Materials for energy recovery	[kg]	0	0	0	0
Exported energy, electricity	[MJ]	0	0	0	0
Exported energy, thermal	[MJ]	0	0	0	0

## ENVIRONMENTAL IMPACTS

Parameter	Unit	Upstream Processes	Core Processes	Downstream Processes	Total
GWP, Fossil	kg CO <sub>2</sub> eq.	296	127	13.1	436
GWP, Biogenic	kg CO <sub>2</sub> eq.	2.51	0.021	12.4	14.9
GWP, Land use and land transformation	kg CO <sub>2</sub> eq.	0.923	0.055	0.005	0.982
<b>GWP TOTAL</b>	kg CO <sub>2</sub> eq.	<b>299</b>	<b>127</b>	<b>25.5</b>	<b>452</b>
AP (fate not incl.)	kg SO <sub>2</sub> eq.	1.41	0.548	0.032	1.99
EP	kg PO <sub>4</sub> eq.	0.674	0.101	0.250	1.02
POCP	kg NMVOC eq.	1.05	0.612	0.031	1.69
ADPE	kg Sb eq.	0.001	18.3x10 <sup>-6</sup>	41.0x10 <sup>-6</sup>	0.001
ADPF	MJ	3623	1814	165	5602
Water scarcity potential	m <sup>3</sup>	672	9.43	0.919	683
Human toxicity, cancer	cases	37.2x10 <sup>-6</sup>	1.05x10 <sup>-6</sup>	795x10 <sup>-9</sup>	39.1x10 <sup>-6</sup>
Human toxicity, non-cancer	cases	76.8x10 <sup>-6</sup>	3.60x10 <sup>-6</sup>	16.7x10 <sup>-6</sup>	97.0x10 <sup>-6</sup>
Freshwater ecotoxicity	PAF.m <sup>3</sup> .day	2.45x10 <sup>+6</sup>	103x10 <sup>+3</sup>	716x10 <sup>+3</sup>	3.27x10 <sup>+6</sup>
Land use	species.yr	641x10 <sup>-9</sup>	3.67x10 <sup>-9</sup>	3.47x10 <sup>-9</sup>	648x10 <sup>-9</sup>

Legend **GWP:** Global Warming Potential, **AP:** Acidification Potential, **POCP:** Formation Potential of Tropospheric Ozone Photochemical Oxidants  
**EP:** Eutrophication Potential, **HT:** Human Toxicity



# References

## ISO 14001

Environmental Management Systems

## OHSAS 18001

Occupational Health and Safety Management

## ISO 9001

Quality Management System

## ISO 14025

DIN EN ISO 14025:2009-11: Environmental labels and declarations - Type III environmental declarations - Principles and procedures

## ISO 14040/44

DIN EN ISO 14040:2006-10, Environmental management - Life cycle assessment - Principles and framework (ISO 14040:2006) and Requirements and guidelines (ISO 14044:2006)

## PCR FOR SEATS

Prepared by IVL Swedish Environmental Research Institute, Swedish Environmental Protection Agency, SP Trä, Swedish Wood Preservation Institute, Swedisol, SCDA, Svenskt Limträ AB, SSAB, The International EPD System, ver. 2.0, Date 2015 11 03

## THE INTERNATIONAL EPD® SYSTEM

The International EPD® System is a programme for type III environmental declarations, maintaining a system to verify and register EPD®s as well as keeping a library of EPD®s and PCRs in accordance with ISO 14025 .[www.environdec.com](http://www.environdec.com)

## ECOINVENT

Ecoinvent Centre, [www.Eco-invent.org](http://www.Eco-invent.org)

## SIMAPRO

SimaPro LCA Software, Pré Consultants, the Netherlands,

[www.pre-sustainability.com](http://www.pre-sustainability.com)

## TLCID

Turkish Life Cycle Inventory Database, Turkish Centre for Sustainable Production Research and Design - SÜRATAM

[www.suratam.org](http://www.suratam.org)






## RECYCLING RATES

**Steel:** Post consumer steel product recovery rate by sector, weighted global average, World Steel Association, Sustainable Steel, At the core of a green economy, 2012.

**Aluminium:** Aluminium Recycling in Europe, European Aluminium Association and Organisation of Aluminium Refiners and Remelters, 2006.

**Plastic:** Plastics – the Facts 2016, An analysisi of European plastics production, demand and waste data, Plastics Europe, 2016.

# Verification & Registration

PROGRAMME	The International EPD® System <a href="http://www.environdec.com">www.environdec.com</a>	
PROGRAMME OPERATOR	EPD registered through the fully aligned regional programme: EPD Turkey <a href="http://www.epdturkey.org">www.epdturkey.org</a>	
THIRD PARTY VERIFIER	EPD International AB Box 210 60 SE-100 31 Stockholm, Sweden	
OWNER OF THE DECLARATION	EPD Turkey: SÜRATAM-Turkish Centre for Sustainable Production Research & Design Nef 09 B Blok No:7/15, 34415 Kağıthane / İstanbul, Turkey <a href="http://www.suratam.org">www.suratam.org</a>	
LCA AUTHOR AND EPD GRAPHIC DESIGN	<b>Certiquality S.r.l.</b> Via Gaetano Giardino 4, Milan, Italy <a href="http://www.certiquality.com">www.certiquality.com</a>	
	<b>Koleksiyon Mobilya</b> Cumhuriyet Mah. Hacı Osman Bayırı Cad. No:25 Sarıyer 34457 İstanbul - Turkey <a href="http://www.koleksiyoninternational.com">www.koleksiyoninternational.com</a>	
	<b>Metsims Sustainability Consulting</b> Lalegül Sok. No:7/18 34415 4.Levent İstanbul - Turkey <a href="http://www.metsims.com">www.metsims.com</a>	

# Global Network

## North America

### NEW YORK

**Koleksiyon New York**  
228 East 58<sup>th</sup> New York,  
NY 10022 USA  
Tel: +1 212 486 7500  
info@koleksiyon.us

### DALLAS

**Koleksiyon Dallas**  
211 North Ervay, Suite 130  
Dallas, TX 75201 USA  
Tel: +1 214 577 6070  
info@koleksiyon.us

### CHICAGO

**Koleksiyon Chicago**  
222 Merchandise Mart Plaza  
11th Floor No: 113A  
Chicago, IL 60654 USA  
Tel: +1 214 577 6070  
info@koleksiyon.us

## South America

### COLOMBIA

**Schaller Group**  
Cra 11 No: 93A-20  
Bogota, Colombia  
Tel: +57 1 743 560  
mariam@schallertech.com

## CIS

### RUSSIA

**Workplace Interiors Ltd.**  
Moscow Russia  
Tel: +7 926 124 48 48  
Info@workplace.com.ru

### Planmax

Piskarevskij Prospect,  
2 Building 2, Office 221  
Business Center "Benois"  
195027, St. Petersburg, Russia  
Tel: +7 812 612 12 95  
info@planmax.ru

### AZERBAIJAN

**Workplace Interiors**  
Marine Plaza, 62 Uzeyir Hajibeyli Street  
Baku, Azerbaijan  
Tel: +99 412 599 05 82 / 83  
ilham.behbudov@workplace.az

### Knock Knock Interiors

Neftchiler Ave. 151  
Baku, Azerbaijan  
Tel: +99 412 493 62 22  
ilham.behbudov@workplace.az

### KAZAKHSTAN

**V-time Object Office Ltd.**  
Office 111, b/c 'Prime'  
Furmanova 100 'g' 050000, Almaty,  
Kazakhstan  
Tel: +7 727 312 11 22 / 23  
v-time@yandex.ru

## Asia Pasific

### AUSTRALIA

**Envoy Furniture**  
Suite 30391 Murphy Street  
Richmond 3121 Melbourne, Australia  
Tel: +61 3 9029 3161  
dan@envoyfurniture.com.au

## Europe

### ENGLAND

**Koleksiyon Möbel Limited**  
9 Brewhouse Yard  
London EC1V 4JR United Kingdom  
Tel: +44 (0)20 3405 1885  
info@koleksiyon.co.uk

### GERMANY

**Koleksiyon Möbel GmbH**  
Kaisstraße 16a, 40221 Düsseldorf,  
Germany  
Tel: +49 177 545 6562  
info@koleksiyon.de

### AUSTRIA

**Buerofreunde GmbH**  
Börsegasse 9, A-1010  
Vienna, Austria  
Tel: +43 1 532 028 7  
office@buerofreunde.at

### SPAIN

**Artis, Arquitectura Interior**  
Entença 242, 08029  
Barcelona, Spain  
Tel: +34 973 25 78 00  
artis@artis.es

### NETHERLANDS

**DingsDesign B.V.**  
G. van Nijenrodestraat 151 3621 GJ  
Breukelen, The Netherlands  
Tel: +31 63195 1872  
info@loading-ddesign.com  
thijs@loading-ddesign.com

### POLAND

**"R19" Sp. z o.o. Sp.K**  
ul. Rydygiera 19/U8  
01-793 Warszawa, Poland  
Tel: +48 662 505 075  
office@r19.com.pl

### CYPRUS

**Divani Mobilya**  
2 İrmak Sokak Gönyeli Çemberi,  
Gönyeli, Nicosia, Cyprus  
Tel: +90 392 224 04 50 - 51  
fetanetcan@gmail.com

## MEA & Africa

### EGYPT

**Koleksiyon Egypt**  
The 47<sup>th</sup> Building, 90<sup>th</sup> Street  
North 5<sup>th</sup> Settlement, New Cairo, Egypt  
Tel: +20 2266 87 01  
info@koleksiyonegypt.com

### DUBAI

**Palmon Group**  
Junction 5, road 621 P.O. Box 16753  
Jebel Ali Free Zone  
Dubai, United Arab Emirates  
Tel: +9714 8817000  
fnashed@palmongroup.com

### JORDAN

**Triology Furniture Company**  
Iritiria Str. Um Uthienah Vista  
P.O. Box 630 - 11118 Amman, Jordan  
Tel: +962 6 5563778  
salah@trilogyfurniture.com

### SAUDI ARABIA

**Technolight - Jeddah**  
P.O. Box 12679 Jeddah 21483  
Saudi Arabia  
Tel: +966 2 669 3241  
hazemalazem@technolight-ksa.com

### Technolight - Riyadh

P.O. Box 17420 Riyadh 11484  
Saudi Arabia  
Tel: +966 11 462 1150  
riyadhbranch@technolight-ksa.com

### BAHRAIN

**Builders Depot**  
Office No: 53 Building No: 50  
Block No: 434 Karbabad, Seef District  
Kingdom of Bahrain  
Tel: +973 39 665232  
malanni@archincorp.com

### QATAR

**Al Mana Galleria**  
Salwa Road Ramada Signals  
Nissan Showroom  
P.O. Box 91 Doha, Qatar  
Tel: +974 4 428 3636  
cihan.koseoglu@almanagalleria.com.qa

### IRAN

**A1 Design**  
Unit 91, No:1/2, Tavazoei St.  
Qeytariyeh Blvd, Tehran, Iran  
Tel: +98 21 22 80 72 80  
info@A1.Design

## Turkey

### ADANA

Atatürk Cad. Sular Yolu No: 73/1 01120  
Tel: +90 322 459 91 22  
adana@koleksiyon.com.tr

### ANKARA

Fatih Sultan Mah. Dumlupınar Blv.  
No: 396 Etimesgut  
Tel: +90 312 467 71 00  
ankara@koleksiyon.com.tr

### ANTALYA

Metin Kasapoğlu Cad.  
Gökhan İş Merkezi No: 21/B  
Tel: +90 242 311 11 38  
antalya@koleksiyon.com.tr

### BODRUM

Atatürk Bulvarı Merkez Mahallesi  
Konaklık Mevkii No:131  
Bodrum / Muğla  
Tel: +90 252 363 91 22  
bodrum@koleksiyon.com.tr

### GAZIANTEP

Sarı Güllük Mah.  
Mareşal Fevzi Çakmak Blv.  
No: 33 Şehitkamil  
Tel: +90 342 335 51 55  
gaziantep@koleksiyon.com.tr

### İZMİR

Mithatpaşa Cad. No: 142/A Karataş  
Tel: +90 232 482 20 01  
izmir@koleksiyon.com.tr

### TEKİRDAĞ

Malkara Yolu 6.km Doğandere Mevkii  
59160 Tekirdağ  
Tel: +90 282 258 58 00  
tekirdag@koleksiyon.com.tr

### İSTANBUL

**Caddebostan**  
Bağdat Caddesi No: 274  
Tel: +90 216 478 22 66  
caddebostan@koleksiyon.com.tr

### Masko

Masko Mobilyacılar Çarşısı  
7-B Blok No: 3-5 İkitelli  
Tel: +90 212 675 09 00  
masko@koleksiyon.com.tr

### Modoko

Modoko Sitesi 3.Cadde No: 222  
Yukan Dudullu, Ümraniye  
Tel: +90 216 540 49 49  
modoko@koleksiyon.com.tr

### Tarabya

Cumhuriyet Mah.  
Hacı Osman Bayırı Cad. No: 25 Sarıyer  
Tel: +90 212 363 63 63  
info@koleksiyon.com.tr

### Zeytinburnu

Kazlıçeşme Mah. Kennedy Cad.  
No: 64/A Zeytinburnu  
zeytinburnu@koleksiyon.com.tr